

Section 1 - Identification

Product Name: Chaun Legend Chrome Powders

Product Sku: CLG01-CLG12

Company: **Chaun Legend Professional Nails**
8502 Crippen Street Bakersfield, CA 93311

Section 2 - Hazards Identification

GHS classifications

Hazard Class - Physical, Health, Environmental:

Eye Damage/Irritation, Category 2A
Skin Sensitizer, Category 1

GHS label elements

Hazard pictograms - Pictograms, Signal Word, Hazard Statements, Precautionary Statements, & Supplemental Information:

Signal Word: Not a dangerous substance according to GHS
Other hazards: None Known.

Hazard statements: H317: May cause an allergic skin reaction.
H319 - Causes serious eye irritation.

Precautionary statements

Prevention:

P264: Wash skin and hands thoroughly after handling.
P272: Contaminated work clothing should not be allowed outside the work place.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P363: Wash contaminated clothing before reuse.

Response:

P302+ P352: IF ON SKIN: Wash with soap and water
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+ P313: If skin irritation or a rash occurs: Get medical advice/attention
P313+ P373: If eye irritation persists: Get medical advice/attention.
P501: Dispose of contents/container to an authorized disposal facility.

Storage: store in a secured area. Ensure storage in a well-ventilated location. Maintain cool conditions.

Disposal: Dispose of contents and container in accordance with all local, regional, national and international regulation.

Section 3 – Composition/Information on Ingredients

Ingredient name:	CAS number:	Wt. %
Aluminum	7429-90-5	90.0-95.0%
Mica	12001-26-2	0.8-1.0%
Titanium Dioxide	13463-67-7	0.2-0.3%
Iron Oxides	1309-37-1	0.1-0.2%
Silica	7631-86-9	0.1-0.2%
Synthetic Fluorophlogopite	13463-67-7	1-2%

Section 4 – First Aid Measures

General Advice

Provide the SDS to medical personnel for treatment.

Eye contact:

Flush eyes with water for at least 15 minutes. Consult physician if irritation persists.

Skin contact:

Wash affected areas with soap and water. Consult physician if irritation persists.

Ingestion:

If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give anything by mouth to an unconscious person. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed. Get medical attention immediately.

Inhalation:

Remove to fresh air. Seek medical attention if respiratory irritation or distress occurs.

Section 5 – Fire-fighting measures

Flammability: This product is not combustible.

Flash point: Not applicable Inorganic solids - no flash point possible

Autoignition: N/A

Section 6 – Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions:

Before cleaning any spill or leak, individuals must wear appropriate Personal Protective Equipment that is specified in section 8. Keep airborne particulates at a minimum when cleaning up spills. Deny entry to all unprotected individuals. Remove any contaminated clothing and wash thoroughly before reuse.

Environmental Precautions:

Extinguish all ignition sources. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802.

Methods and materials for containment and cleaning up

Methods for Containment:

Prevent further leakage or spillage if safe to do so. Dike and contain spill with inert material (e.g. sand or earth). May contaminate water supply.

Methods for Cleaning Up:

Maximize ventilation (open doors and windows) and secure all sources of ignition. Use good, local ventilation with a minimum capture velocity of 100 ft/min (30 m/min) at point of product release. Place into appropriate closed container(s) for disposal in accordance with local, state and federal regulations. Wash all affected areas with plenty of warm water and soap. Not a RCRA Hazardous waste.

Section 7 - Handling and storage

Precautions for safe handling

Advice on Safe Handling:

Use in well ventilated areas. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Use good personal hygiene and housekeeping. Avoid prolonged contact with the product. Use in a well-ventilated location (e.g., local exhaust ventilation, fans). After use, wash hands and exposed skin with soap and water. Do not eat, drink or smoke while handling product.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions:

Store containers in a cool, dry location, away from direct sunlight, heat, sparks, flame, other light sources, or sources of intense heat. The temperature should remain at or under 72°F (22°C) at all times. Storing above recommended temperature will cause product performance issues. Store in accordance with National Fire Protection Association recommendations. Observe all label precautions until the container is cleaned, reconditioned, or destroyed.

Section 8 - Exposure controls/personal protection

Engineering controls:

Use local explosion-proof ventilation that is adequate to keep employee exposure to airborne concentrations below exposure limits. Please refer to the ACGIH document, Industrial Ventilation, A Manual of Recommended Practices, most recent edition, for details.

Personal protective equipment

Eyes/face Protection:

Wear safety glasses, chemical goggles when splashing is possible, when dealing with this material. If necessary, refer to U.S. OSHA 29 CFR §1910.133, or other appropriate governing standard. Ensure that an eyewash station, sink or wash-basin is available in case of exposure to eyes.

Respiratory Protection:

A respirator should be worn whenever workplace conditions warrant use of a respirator. If dust conditions are present, a N95 respirator dust mask is required. None required if airborne concentrations are maintained below any exposure limit that may be listed above. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134 or other appropriate governing standard.

Body Protection:

Complete suit protecting against chemicals, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact:
Material: Nitrile rubber
Minimum layer thickness: 0.4 mm
Break through time: 480 min

Splash contact:
Material: Nitrile rubber
Minimum layer thickness: 0.11 mm
Break through time: 120 min

General Hygiene Considerations:

Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. An eyewash station and a safety shower are recommended. Food, beverages, and tobacco products should not be carried, stored, or consumed where this material is in use. Wash hands thoroughly before eating, drinking, or smoking.

Section 9 - Physical and chemical properties

Appearance

Physical state:	Loose powder.
Particle size:	1-15um.
Boiling point:	NA
Flammability:	Not Combustible.
Vapor pressure:	Not Determined.
pH:	6.0 - 8.0
Bulk density:	0.15 - 0.27
Loss on drying:	≤ 1.0%
Odor:	Odorless.
Solubility:	Insoluble in water.
Percent volatile:	< 1.0%
Freezing/Melting point:	NA
Flash point:	NA
Vapor density:	Not Determined.
Auto-ignition temp	NA > 900C

Section 10 - Stability and reactivity

Stability:	Stable.
Conditions to Avoid:	Use with adequate ventilation, minimize dust.
Materials to Avoid:	None known.
Hazardous decomposition:	None known.
Decomposition Polymerization:	None known.

Section 11 - Toxicological information

Mixture Toxicity

Routes of Exposure: Inhalation, Eye Contact, Ingestion

Target Organs: Eyes, Skin, Respiratory System

Effects of Overexposure: Overexposure by inhalation of Titanium Dioxide may include mild and temporary upper respiratory irritation with cough and shortness of breath.

Product Components Listed as Carcinogenic

None.

This product has not been tested on animals to obtain toxicology data. Products components' toxicology data were found in scientific literatures. This data may or may not be present in this document.

Section 12 - Ecological information

Ecotoxicity:	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Component Information:	Not available.
Persistence/Degradability :	Not determined.
Bioaccumulation :	Not determined.
Mobility :	Not determined.
Other Adverse Effects :	Not determined.

Section 13 - Disposal considerations

Waste Treatment Methods

Disposal of Wastes:

Dispose waste material in accordance with Federal, State, and Local regulations. it is the responsibility of the generator to determine at the time of disposal whether the product meets the criteria of a hazardous waste. Comply with all applicable federal, state and local regulations. Waste disposal options include landfilling solids at permitted sites. Incinerate in a chemical incinerator equipped with an afterburner and scrubber. Use registered transporters.

Contaminated Packaging

Reuse of empty drums or containers is not recommended. Employees should be advised of the potential hazards, due to residual flammable material, associated with empty containers. Dispose of all empty containers properly, in accordance with Federal, State and Local regulations.

Section 14 - Transport information

DOT:	Not regulated
IATA:	Not regulated
IMDG:	Not regulated

Section 15 - Regulatory information

State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):

WARNING: This product can expose you to titanium dioxide (airborne, unbound particles of respirable size), which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov.

SARA 313

-None

US State Right-to-Know Regulations

-None

<u>Country</u>	<u>Regulation</u>	<u>All Components Listed</u>
	EINECS	Yes
	SARA Hazard Categories	No
	TSCA Inventory	Yes

5

5

Section 16 - Other information

Title: Regulatory Department

Date Prepared: 10/30/26

Date Revised:

Reviewer Revision: 3

Hazardous Material Information System (U.S.A.)

Health	1
Flammability	0
Physical hazards	0
Personal protection	B

HMIS & NFPA Hazard Rating Legend

* = Chronic Health Hazard

0 = INSIGNIFICANT

1 = SLIGHT


2 = MODERATE

3 = HIGH

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

MANUFACTURER DISCLAIMER:

To the best of our knowledge, the information contained herein is accurate. However, Chaun Legend Professional Nails Inc., does not assume any liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.